



Design • Inspire • Style • Create

 Interceramic®



## Our Company

Interceramic began operations in Chihuahua, Mexico in 1979 as a ceramic tile manufacturing company with the most innovative technology at the time. Today it is one of the largest ceramic tile manufacturers in North America with a total production capacity of 450 million square feet per year from nine facilities housed in four different complexes: three in Chihuahua, Mexico, and one in Garland, Texas.

With 30 years in the market, Interceramic has become a leader not only as a manufacturer, but also as a distributor of ceramic tile, bathroom fixtures, setting materials and natural stone. To complement its manufactured products, Interceramic also outsources 65 million of square feet of floor and wall tile annually. Through a unique distribution system of 242 franchised stores in Mexico, 14 company-owned design and distribution centers in the US, and an additional 65 independent distributors in the US and Canada, annual sales exceed \$500 million.







## Why choose Interceramic Porcelain Tile

There is a large amount of porcelain products in the market today. It is important to know that they do not all have the same quality.

At Interceramic, we make sure that our porcelain product offering is always the best.

- All our porcelain products meet the absorption rate dictated by industry standards.
- Interceramic porcelain tiles are highly resistant to breakage.
- Products imported with the Interceramic brand go through a strict quality control process performed both by our plant personnel and our executives in Foshan, China.
- Interceramic uses nano-polish technology to ensure our products are stain resistant.





# INDEX

Special Order Porcelains	
ABSOLUTE	8
BALANCE	10
CALABRIA	12
SERPENGGIANTO	14
SLATE	16
VANTAGIO	18
WAVES	20
TECHNICAL INFORMATION	22
SYMBOLS	23












# ABSOLUTE

unglazed rectified nano-polished porcelain floor tile

STS M








Super White




Beige



Super Black

**Size**



24" x 24"

**Trim**

Available in Polished Beige and Polished Super White



Surface Bullnose  
4" x 24"

# BALANCE

glazed rectified porcelain floor tile

STS M

PEI IV








Grey




Beige



White

**Sizes**



24" x 24"

**Trim**

Available in all colors



Surface Bullnose  
4" x 24"

# CALABRIA

glazed rectified porcelain floor tile

STS M

PEI IV/III







Limestone

PEI IV



Crema Marfil

PEI IV



Breccia Sarda


PEI III



Ambrato Gris

PEI III

### Sizes



24" x 24"



12" x 24"

### Trim

Available in Crema Marfil and Limestone



Surface Bullnose  
4" x 24"

# SERPENGGIANTO

unglazed rectified porcelain floor tile







White



Light Beige



Light Grey

**Size**



24" x 48"

**Trim**

Available in all colors



Surface Bullnose  
4" x 24"

# SLATE

glazed rectified colored-body porcelain floor tile

STS M

PEI IV/III







Golden

PEI IV



Ivory

PEI IV




Black

PEI III


Sizes



24" x 48"



24" x 24"



12" x 24"

Trim  
Available in all colors



Surface Bullnose  
4" x 24"

# VANTAGIO

unglazed rectified nano-polished porcelain floor tile

STS M







Super White




Beige



Gris

Sizes



24" x 24"

Trim



Surface Bullnose  
4" x 24"

# WAVES

unglazed rectified porcelain floor tile







White




Grey



Black

### Sizes



24" x 24"



12" x 24"

## TECHNICAL INFORMATION




Series	Trim Available	ADA Compliant	ASTM Designation:		ASTM C1028		Mohs Scale	ASTM C373	ASTM C648	ASTM C482	ASTM C1026
			Wear Rating/ PEI	Shade/Texture Spectrum (STS) Rating	Coefficient of Friction (Dry/Wet)	DCOF ACU test	Scratch Hardness	Water Absorption	Breaking Strength	Bonding Strength	Frost Resistance
Absolute	Yes	No	N/A	Moderate	<0.60	<0.42	5.5	<0.50%	>400 lbs	>50 psi	Resistant
Balance	Yes	Yes	IV	Moderate	>0.60	>0.42	8.0	<0.50%	>450 lbs	>50 psi	Resistant
Calabria	Yes	No	IV/III	Moderate	<0.60	<0.42	6.0	<0.50%	>400 lbs	>50 psi	Resistant
Serpenggiato	Yes	No	N/A	Moderate	<0.60	<0.42	5.5	0.25%	>450 lbs	>50 psi	Resistant
Slate	Yes	Yes	IV/III	Moderate	>0.60	>0.42	8.0	<0.50%	>400 lbs	>50 psi	Resistant
Vantagio	Yes	No	N/A	Moderate	<0.60	<0.42	5.5	<0.50%	500 lbs	>50 psi	Resistant
Waves	No	Yes	N/A	Moderate	>0.60	>0.42	5.0	0.15%	450 lbs	>50 psi	Resistant

## TERMS AND CONDITIONS

- This is a special order program.
- This product offering is stocked in Central Mexico and sourced from China.
- Availability and lead time may vary. If product is available, the lead time is 3-4 weeks to Garland, TX. In the unfortunate event that the product is not available, there could be as much as a 3-4 month lead time. Please consult with your Interceramic Sales Representative for stock availability and lead times.
- If a customer is interested in buying in container quantity and is waiting for production from China, the container can be sourced directly from China to the USA. Only one series may be ordered per container, due to multiple manufacturing facilities in China. Container quantities may vary based on the product. Please consult with your Interceramic Sales Representative regarding details for purchasing in full container volume.




## SYMBOLS

STS	STS - Shade and texture spectrum	
STS L		<p>Low STS - The least amount of shade and texture variation attainable in naturally fired clay products.</p>
STS M		<p>Moderate STS - Light to moderate shade and texture variation within each carton.</p>
STS H		<p>High STS - High shade and texture variation within each carton.</p>
STS R		<p>Random STS - Very high shade and texture variation within each carton.</p>
PEI	Group Rating	
PEI I	<p>Light traffic - Residential bathroom floors and all interior wall applications.</p>	
PEI II	<p>Medium traffic - Residential interior floor areas except entry ways, kitchens, stairs and pivot points.</p>	
PEI III	<p>Medium heavy traffic - All residential and very light commercial floor applications. Not recommended for commercial entry ways.</p>	
PEI IV	<p>Heavy traffic - All residential and most commercial floor applications, including shopping malls and most public areas.</p>	
PEI V	<p>Heavy plus traffic - All residential and all commercial floor applications, where extra heavy duty wearability is required.</p>	
	<p>Meets recommended guidelines for Americans with Disabilities Act for horizontal surfaces</p>	









Design • Inspire • Style • Create

2333 S. Jupiter Rd.  
Garland, TX 75041  
1 (800) 688.5671  
[www.interceramic.com](http://www.interceramic.com)

 Interceramic®