


PLANK SIZE



THICKNESS

7MM

TEXTURE



EDGE



WEAR CLASS



WARRANTY



Soledo Visions  
Bolick Quick Ship Colors

- Brazilian Walnut
- Bunbury
- Cask Oak
- Gunstock Oak
- Nelson
- Saratoga Pine

# OUR PRODUCT FEATURES

## GreenGuard Gold Certified

All Inhaus products are GreenGuard Gold certified. One of the highest standards in the world, this LEED approval certification means our products have virtually zero off-gassing of VOCs or formaldehyde, ensuring the healthiest products for your home and family.



## Megaloc

Megaloc, our unique patented angle-drop installation system, allows for 30% faster installation. Simply lower the plank and apply pressure at the short edge to lock it. Listen for the click and you're done! Megaloc also has a joint strength of 75 kN (~1100 lbf) which allows for installations of up to 40' x 40' without transitions.

## Wear ratings

Wear is measured in our industry by Abrasion Class (AC). At a minimum, Inhaus products are built to withstand the daily use of a busy household for years to come.

**AC3** - Suitable for residential use

**AC4** - Suitable for heavy residential / light commercial use

**AC5** - Suitable for heavy residential / medium commercial use

## Surface textures

Texture is used to enhance the look and feel of a product and should always complement the décor. We bevel all of our products to create that premium authentic plank look.

**Wood grain** - An authentic wood texture

**EIR (Embossed-in-Register)** - A premium feature that aligns the wood grain texture to the décor paper design for an ultra realistic look and feel

## Dimensions

Narrow looks can fill a small room while wide planks can make a floor look less "busy". Extra long planks look great in large rooms.

Standard Length (50.63") comes in widths - Narrow (6.30") & Wide (7.64")

Long Plank Length (85.63") comes in the width (9.57").

## Thicknesses

Despite the perception that thicker = better, once installed, there's no technical difference between a 7mm and a 12mm-thick floor. It's the quality of our high density coreboard, exceptionally stable at 56 lbs/ft<sup>3</sup>, that makes the difference.



**megaloc**

***Fast. Easy. Strong.***

**Patented angle/drop  
technology**

**Fast & easy installation**

**Install multiple rows  
at one time**

**Interlock clip  
creates a strong  
& seamless  
connection**