

# Installation Products Catalog 2012

Surface Preparations \* Mortars \* Grouts \* Sealers \* Installation Tools  
Adhesives \* Seam Tape \* Sundries \* Metal Trim \* Vinyl Trim \* Underlayment



**C-CURE**

**DEWALT**

**TARGET**

**HARDIBACKER**

1/4" CERAMIC TILE BACKERBOARD FOR FLOORS AND COUNTERTOPS FROM JAMES HARDIE

**Armada**

**GUNDLACH**  
Quality Products Since 1927

**PLI**  
PAK-LITE, INC.

**ORCON**

**Capitol USA**

**AQUA MIX**

**DB**  
Dependable  
BAGGING  
COMPANY

Look for  
Exciting  
New  
Products  
Inside

**Bolick Distributors**

**YOUR COMPLETE SOURCE FOR FLOORING INSTALLATION PRODUCTS**



## Customer Service 800-960-1209

The contents of this catalog represent a collection of the most 'in-demand' flooring installation products in one easy reference guide. These products are guaranteed to be in stock. Bolick Distributors stocks other flooring installation products that are not represented in this catalog. In addition, Bolick Distributors has access to many other tools and supplies available by special order. Please inquire with your Bolick Sales or Customer Service Representative.

This installation product reference guide is divided into two sections:

- I. Ceramic Tile Supplies
- II. Flooring Supplies

The Ceramic Tile Supplies section represents products and tools for installing ceramic tile. The general Flooring Supplies section represents products and tools for installing carpet, wood, laminate, vinyl, and linoleum.

### TERMS AND CONDITIONS OF SALE

**Payment Terms:** Net 30 Days

**Delivery Charges:**

- \$42.00\* Standard (LA, MS, AL, AR & FL)
- \$33.00\* Baton Rouge Metro (Local)
- \$45.00\* Memphis & Western TN

\*Plus Current Fuel Surcharge

**Product Returns:**

1. In the event of a Bolick shipping error, a time and date for pick-up and/or redelivery will be scheduled. Delivery and restocking charges are waived.
2. All other product returns will carry a 20% restocking fee providing that the return in question meets the following criteria:
  - The material must be returned within **30 days** from the date of invoice
  - All materials must be in first grade condition and in full, unopened cartons
  - Cabin, builder grade, seconds and cut orders are not eligible for return
  - Ceramic tile returns of less than 4 cartons are not eligible for return
  - Powdered goods and sealers are not eligible for return
  - Ceramic tile, laminate, and hardwood trim are not eligible for return
  - Special and custom run mill orders are not eligible for return

**\*\*Open Orders:** Bolick will reserve materials for customer on an open order for a period of 7 days. After 10 days, all open orders will be cancelled and those reserved materials not picked up or delivered will be returned to inventory and made available to fill other customer orders.

**Adhesive Policy:** It is the sole responsibility of the customer to determine which adhesive is suitable for each individual product installation. Bolick Distributors assumes no responsibility or liability for incorrect adhesive used with any product.

**Shipping Policy:** It is the responsibility of the customer to match all material orders received with what materials were ordered to ensure accuracy of products selected by the end user.

**ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**

**Bolick Distributors  
Installation Products Catalog  
No. 12-0719**

*\*\*Open Order Policy Effective September 1, 2012*

# Contents

## **Ceramic Tile Supplies**

### **Surface Preparations**

CureLastic 949 .....	2
Ultra Cure 971 .....	2
ProRed 963 .....	2
ProFlex .....	2

### **Mortars**

Floor Mix 900 .....	3
M-Bond Ultra Set® 918 .....	3
M-Flex Strata® 914 .....	3
Multi Set® 917 .....	3
QuickCure 908 .....	4
ThinSet 911 .....	4
Uniflex® 916 .....	4
Builders Bond 100.....	5
Bolick Bond 007.....	5
Full Contact 907 .....	5
M-Lite 929 .....	5

### **Grouts**

AR® Grout Sanded 922 .....	6
CurePerfect® 930.....	7
ColorSet Epoxy System 931 .....	8
Supreme 925 .....	8

### **Mastics**

PermaBond® Ultra 1002 .....	8
-----------------------------	---

### **Specialty Products**

C-Clean 985 .....	8
CureCaulk 986 .....	9

### **Installation Tools**

#### **Ceramic Tile Cutters**

Deluxe Big Clinker Cutter .....	9
---------------------------------	---

#### **Trowels**

GIJ-F Trowel Handle for use with IFS Urethane Adhesive.....	9
No. 9 PC-U Plastering Trowel .....	10
Pointing Trowel .....	10
Margin Trowel.....	10

#### **Grout Floats**

No. 103 Grouting Float .....	10
No. 43 Premium Float .....	11
No. 44 Toe-Space Premium Float .....	11
Green Gum Float .....	11
Precision™ Float .....	11

#### **Mixers**

Jiffler Mixer No. 140 .....	12
No. MM30 Mixer .....	12

#### **Saws**

No. 336 Undercutting Saw.....	12
No. 825 Heavy Duty Undercut Saw Kit .....	13
No. 555 Multi-Undercut Saw .....	13
No. 812 Super Saw Kit .....	14
D24000 10" DeWalt Wet Tile Saw.....	14
No. 1620C Mechanical Marking Pencils/Refills .....	15
No. 356 Ceramic Tile Hole Saw .....	15
Core Bits .....	15
No. GS50 Grout Saw.....	15

#### **Miscellaneous**

No. 20 Aluminum Straight Edge Set .....	16
No. 30 Aluminum Straight Edge Set.....	16
No. 75-T T-Square .....	16
No.45-500 Carpenter Square .....	17
No. 209 Super-Soft Knee Pads .....	17
No. KN-1 Ultralight Knee Pads .....	17
Caulking Guns for Spouted Cartridges.....	17
No. 2618 Black Beauty Duster Brush.....	18
No. 80 Superior Tile Cutter® Nippers.....	18
Malco Aluminum Handle Tin Snips .....	18

**Tile Care Products and Finishes**

Tile Sealers ..... 18-19  
Stone Care ..... 20  
Tile Cleaners ..... 20  
Tile Problem Solvers ..... 20-21  
Floor Finishes ..... 21

**Backer Board, Threshold & Shower Installation Products**

Backer Board ..... 21  
Marble Threshold ..... 21  
Shower Installation Products ..... 22

**Flooring Supplies - Wood, Laminate, Carpet, Vinyl & Linoleum Installation**

**Surface Preparations**

Featheredge™ FastSet 979 ..... 23  
UniLayment FastSet 969 ..... 23  
LatexUnderlayment Regular 962 ..... 23

**Adhesives & Seam Sealers**

MP100 Basic Grade Multipurpose Adhesive ..... 24  
MP240 Mid-Grade Multipurpose Adhesive ..... 24  
CA430 Outdoor Carpet Adhesive ..... 24  
AC44 Carpet Seam Sealer ..... 24  
029: Flammable Pad Cement ..... 25  
Armada® AM-40 Acrylic Urethane Wood Flooring Adhesive ..... 25  
ST100 Vinyl Plank & Tile Adhesive ..... 25  
TA 380: Thin Spread VCT Adhesive ..... 25  
VA500 Commercial VCT Adhesive ..... 25  
C5 Acrylic Latex Cove Base Adhesive ..... 26  
TackBond Construction Adhesive ..... 26

**Seam Tape**

K-20 Premium 4" Seam Tape ..... 26  
K-40 Supreme 4" Seam Tape ..... 26

**Installation Tools**

No. 100-LR 100 lb. Roller – 5 ¼" diameter ..... 27  
No. 143 Adhesive Syringe ..... 27  
No. 4-3 Carpet Awl ..... 27  
No. 166 Duckbill Napping Shears ..... 27  
No. 177 Carpet Shears ..... 28  
No. 74-RS Straight Edge ..... 28  
No. 350-2W White Rubber Mallet ..... 28  
No. 445 Carpet Kicker ..... 28  
No. 476 Carpet Tractor ..... 29  
No. 261 & 262 Straight Stair Tools ..... 29  
No. 400-CS Junior Power Carpet Stretcher ..... 30  
No. 57-ML Moulding Lifter ..... 30  
No. H-76 12" Tile Cutter With Casters ..... 30  
No. 4 (notch) U Professional Trowel ..... 31  
No. 716 Conventional Back Carpet Trimmer ..... 31  
No. 301 Cushion Back Cutter ..... 31  
Razor Blade Knife ..... 31  
No. 534 Utility Knife ..... 32  
Slotted, Scraper & Utility Blades ..... 32  
No. 790 4" Replaceable Blade Scrapers ..... 32  
No. 375 8" Replaceable Blade Scrapers ..... 33  
No. 812 Super Saw Kit ..... 33  
Seam Iron ..... 33

**Sundries**

Sanding Discs ..... 34  
Concrete Nails ..... 34  
Magnetic Driving Bar ..... 34  
Magnetic Nail Holder ..... 34  
Tack Strip ..... 35  
Tape ..... 35  
Duo-Fast™ Electric Tacker ..... 35  
No. GB-1 Chalk Line Reel ..... 35  
Ultra-Fine Chalk Powder ..... 35  
No. 407 Tool Pouch ..... 36  
No. 811 Staple Hammer & Staples ..... 36

**Trim**

Metal Trims ..... 36

**Underlayment**

Solid Walk ..... 37  
Silent Treatment® ..... 37  
Great White ..... 38  
2N1 ..... 38




## CureLastic 949

CureLastic is a ready-mixed, organic trowel applied, anti-fracture membrane and adhesive developed to install ceramic tile and stone over a variety of substrates.

Coverage: 45-60 sf per gallon (3/16" z 5/32" V-notched trowel)  
35-50 sf per gallon (1/4" x 1/4" square-notched trowel)

In Stock: 1 Gallon & 3.5 Gallon

Item: CC-CURELASTIC



## Ultra Cure 971

C-Cure UltraCure is a cementitious based elastomeric anti-fracture waterproofing membrane modified with an acrylic polymer that will produce a tile setting adhesive specially developed for the installation of all types of tile, marble and stone over a variety of surfaces. UltraCure is trowel applied to develop a continuous positive moisture barrier with excellent adhesion to wood, dry concrete block and cementitious backer units.

Coverage: A two gallon unit covers 104 sf at 30 mils; 90 sf at 45 mils; and 60 sf at 55 mils. Note: the thicknesses: 3/32" V-notched yields 30 mils; 3/16" V-notched yields 45 mils; and 1/4" square-notched yields 55 mils.

In Stock: 2 Gallon

Item: CC-ULTRACURE



## ProRed 963

ProRed 963 waterproofing membrane is a ready-to-use, elastomeric waterproofing and anti-fracture membrane for all interior and exterior commercial and residential tile and stone installations. Easily applied with roller, trowel or sprayer producing a continuous moisture barrier with outstanding adhesion. Reduces crack transmission in ceramic tile or stone floors.

Coverage: **As an Anti-Fracture Membrane:** 110 sf/gal at 30 mil thickness when wet  
**As a Waterproof Membrane:** 35-40 sf/gal @ 93 mil thickness when wet. 47 mils dry.

In Stock: 2 Gallon and 5 Gallon

Item: CC-PRO-RED2 and CC-PRO-RED5

## PROFLEX™ 40 Crack Isolation Sound Membrane

ProFlex™ 40CISM is a 40 mil composite underlayment consisting of a rubberized membrane laminated to a high-strength reinforcing fabric on the face and a siliconized release sheet on the adhesive side. It is specially designed to be used under thin-set or mud-set mortars and adhesives for interior and exterior applications of wood flooring to eliminate the transmission of cracks in finished floor work, the product should be applied to the entire substrate prior to the installation of the finished flooring.

In Stock: 40 mil underlayment, P11 Primer & Crack Isolation Kit

Item: CC-PF-CISM 40MIL

CC-PF-PR11PRIMER

CC-PF-CRACK KIT






## Floor Mix 900

FloorMix is a factory blend of Portland cement, fine sand and special chemical additives which produces excellent dry-set mortar for floor tile for floor tile installations of low absorption tiles (less than 7%).

Coverage: 75 sf per 50 lb. bag (1/4" x 1/4" square-notched trowel)  
 65 sf per 50 lb. bag (1/4" x 3/8" square-notched trowel)  
 39 sf per 50 lb. bag (1/2" x 1/2" v-notched trowel)

In Stock: 50 lb. Gray  
 Item: CC-FLOORMIX



## M-Bond Ultra Set® 918

M-Bond Ultra® is a contractor grade, polymer-modified Portland cement mortar designed for the bonding of all types of tiles over a variety of substrates. It may be used on walls or floors for both interior and exterior applications where a latex-modified mortar is recommended.

Coverage: 77 sf per 50 lb. bag (1/4" x 1/4" square-notched trowel)  
 66 sf per 50 lb. bag (1/4" x 3/8" square-notched trowel)  
 40 sf per 50 lb. bag (1/2" x 1/2" v-notched trowel)

In Stock: 50 lb. (Gray)  
 Item: CC-MULTI BOND GR



## M-Flex Strata® 914

M-Flex Strata® is a flexible, latex-Portland cement mortar that is composed of an integral blend of special diverse dry polymers, plasticizers, Portland cement and sand. When cured, each separate polymer imparts distinct characteristics which compliment the other polymers forming a union which provides for 48% higher flexural strength than conventional mortars, thus furnishing the ultimate in a single component latex-Portland cement mortar.

Coverage: 77 sf per 50 lb. bag (1/4" x 1/4" square-notched trowel)  
 66 sf per 50 lb. bag (1/4" x 3/8" square-notched trowel)  
 40 sf per 50 lb. bag (1/2" x 1/2" v-notched trowel)

In Stock: 50 lb. Gray and 50 lb. White  
 Item: CC-MULTI-FLEX



## MultiSet 917

The economical polymer-modified dry-set mortar designed for the bonding of all types of tiles. It may be used for either walls or floors for both interior and exterior applications where a liquid latex-modified mortar is recommended. MultiSet 917 is a blend of Portland cement, sand and special dry latex additives that significantly improve bond strength and freeze-thaw stability — performance characteristics typically available only through the addition of liquid latex additives to dry-set mortar.

In Stock: 50 lb. Gray  
 Item: CC-MULTI-Set GRA

PRODUCT	COVERAGE		
	SQUARE FEET (M <sup>2</sup> ) PER 50 LB. (22.7 KG) BAG		
	1/4" x 1/4" x 1/4" (6 x 6 x 6 mm) Square-Notch Trowel	1/4" x 3/8" x 1/4" (6 x 9.5 x 6 mm) Square-Notch Trowel	1/2" x 1/2" x 1/2" (12 x 12 x 12 mm) Square-Notch Trowel
MultiSet 917	77 (7.1)	66 (6.1)	40 (3.7)



## QuickCure 908

QuickCure is a polymer modified dry-set mortar designed to be used as a fast setting bond coat for the installation for all types of tile over a variety of substrates. QuickCure enables the contractor to set tile and grout within 2 hours to provide a finished installation which can be open to full foot traffic in hours. These areas include tile repairs, main entrances, elevator waiting areas, escalator landings and other areas requiring minimum downtime.

Coverage: 77 sf per 50 lb. bag ( $\frac{1}{4}$ " x  $\frac{1}{4}$ " square-notched trowel)  
 66 sf per 50 lb. bag ( $\frac{1}{4}$ " x  $\frac{3}{8}$ " square-notched trowel)  
 40 sf per 50 lb. bag ( $\frac{1}{2}$ " x  $\frac{1}{2}$ " v-notched trowel)

In Stock: 50 lb. Gray  
 Item: CC-QUICK




## ThinSet 911

ThinSet is a factory blend of Portland cement, sand and a unique blend of special additives. C-Cure ThinSet produces an excellent bond with greater coverage than conventional dry-set mortars for the installation of ceramic tile.

Coverage: 81 sf per 50 lb. bag ( $\frac{1}{4}$ " x  $\frac{1}{4}$ " square-notched trowel)  
 70 sf per 50 lb. bag ( $\frac{1}{4}$ " x  $\frac{3}{8}$ " square-notched trowel)  
 42 sf per 50 lb. bag ( $\frac{1}{2}$ " x  $\frac{1}{2}$ " v-notched trowel)

In Stock: 50 lb. Gray  
 50 lb. White  
 Item: CC-GRAY or CC-WHITE



## UniFlex® 916

UniFlex® is a technological breakthrough in the development of a truly elastomeric dry-set mortar for the installation of ceramic tile and dimensional stone. UniFlex is composed of a unique synergism of latex polymers and Portland cement. UniFlex may also be used as an elastomeric anti-fracture membrane for the installation of ceramic tile, marble, slate and granite over a variety of surfaces.

Coverage: 25 square feet per gallon at  $\frac{1}{16}$ " thickness  
 7.5 square feet per gallon at  $\frac{3}{32}$ " thickness

In Stock: 1 Gallon Units Gray  
 2 Gallon Units Gray  
 4 Gallon Units Gray  
 Item: CC-UNIFLEX




## Builder's Bond 100

Builder's Bond may be used for setting absorptive, semi-vitreous, vitreous and impervious tiles (except glass) in residential or commercial service areas. It may be used for interior or exterior applications on floors and interior applications on walls. It is water cleanable, non-flammable and requires no soaking of tiles. Trowel Recommendation: Suitable for providing a minimum of 3/32" bed thickness after embedding.

Coverage: 77 sf per 50 lb. bag (1/4" x 1/4" square notched trowel)  
 66 sf per 50 lb. bag (1/4" x 3/8" square notched trowel)  
 40 sf per 50 lb. bag (1/2" x 1/2" square notched trowel)

In Stock: 50 lb  
 Item: BUILDERS BOND



## Bolick Bond 007

Bolick Bond is a specially refined dry-set mortar with latex-polymer powder pre-blend in the bag. Composed of portland cement, sand and special polymer additives, Bolick Bond is used as a bond coat for setting all types of ceramic tile, marble and stone over a variety of substrates. Bolick Bond offers the economy and ease of application of dry-set mortars while significantly improving bond strengths, freeze-thaw stability, flexibility and other qualities formerly only available throughout the use of liquid latex additives or epoxy emulsion systems.

Coverage: 77 sf per 50 lb. bag (1/4" x 1/4" square-notched trowel)  
 66 sf per 50 lb. bag (1/2" x 1/2" square-notched trowel)

In Stock: 50 lb.  
 Item: BOLICK BOND



## Full Contact 907

PRO Full Contact 907 is specifically formulated to provide a single-step installation method for large format ceramic tile and stone. It fully supports heavy tiles and stone, reducing lippage problems and the need for leveling of pre-floating rough surfaces.

Coverage: 65 sf per 50 lb. bag (1/4" x 3/8" x 1/4" square-notched trowel)  
 45 sf per 50 lb. bag (1/2" x 1/2" x 1/2" square-notched trowel)  
 36 sf per 50 lb. bag (3/4" x 9/16" x 3/8" square-notched trowel)

In Stock: 50 lb. Gray and 50 lb. White  
 Item: CC-907




## PRO M-Lite 929 Tile & Stone Mortar

Offers high flexibility and bond strength for a wide variety of floor and wall tile installations. Excellent for setting large format tile or stone, PRO M-LITE 929 will not sag or slip on walls and offers non-slump performance for floor installations. PRO M-LITE 929 is 40% lighter than traditional mortars, providing excellent handling characteristics. A 30 lb. (13.6 kg) bag covers the same area as a 50 lb. (22.7 kg) bag of traditional mortar. Formulated with recycled material – contributes to LEED certification. This product is covered by a 10 year warranty. Applicable ANSI Standards: A118.4 and A118.11

In Stock: 30 lb. grey and 30 lb. white  
 Item: CC-M-LITE GRAY  
 CC-M-LITE WHITE

PRODUCT	COVERAGE		
	SQUARE FEET (M <sup>2</sup> ) PER 30 LB. (13.6 KG) BAG		
PRO M-LITE 929 TILE & STONE MORTAR	1/4" x 1/4" x 1/4" (6 x 6 x 6 mm) Square-Notch Trowel	1/4" x 3/8" x 1/4" (6 x 6 x 9.5 mm) Square-Notch Trowel	1/2" x 1/2" x 1/2" (13 x 13 x 13 mm) Square-Notch Trowel
	90 - 100 (8.4 - 9.3)	63 - 70 (5.6 - 6.5)	45 - 50 (4.2 - 4.6)





## AR® Grout Sanded 922

AR® Grout is a blend of Portland cement, specially graded silica sand and colorfast pigments that form a dense matrix, free of any voids. In addition, special chemicals have been added to provide for a superior grout that offers ease of workability and cleanup, rapid cure, high compressive strength, low shrinkage, good bond strength and color control. AR is highly resistant to bacteria, fungus, oils and alkalis. It is nontoxic, non-dusting and does not contain iron.

Coverage: Varies according to tile size and grout joint size  
 In Stock: 25 lb. bags (40 distinctive colors)  
 Item: CC- (color #) -25  
 CC-(color #)-50

### AR® Grout Sanded 922

#### Gray

CC-014 Natural Gray (50 lb bags)  
 CC-002 Gray (50 lb. bags)

#### Colors - 25 LB Bags

CC-002 Gray	CC-081 Citrine
CC-008 Black	CC-086 Ocean Blue
CC-014 Natural Gray	CC-099 Amber
CC-018 Antique White	CC-102 Topaz
CC-019 Cream	CC-103 Agate
CC-022 Walnut	CC-113 Pebble Beach
CC-024 Rust	CC-115 Silver Gray
CC-025 White	CC-127 Moonstone
CC-027 Sahara Brown	CC-131 Kahula Cream
CC-030 Sandstone	CC-140 Black Jade
CC-031 Buckskin Beige	CC-142 Pearl Gray
CC-035 Catalina Jade	CC-163 Almond
CC-036 Macadamia	CC-251 Canvas
CC-040 Adobe	CC-252 Tumbleweek
CC-042 Dusty Rose	CC-254 Flint Green
CC-047 Sunrise Pink	CC-255 Saltillo
CC-051 Sand	CC-256 Caramel
CC-053 Bone	CC-257 Hot Chocolate
CC-060 Pueblo	CC-258 Straw
CC-061 Executive Gray	CC-259 Winter Frost

## CurePerfect® 930 Powder

The CurePerfect® Grout System marks the latest step in the evolution of grouting systems for ceramic tile, marble and stone surfaces. It solves the most persistent problems encountered with traditional Portland cement.

CurePerfect is a two (2) part system (patented design and formulation) that mixes to produce a polymer modified Portland cement grout.

1) The CurePerfect **Powder Base Component** is available in two grades: white sanded and white non-sanded. All grades are a blend of Portland cement, chemical admixtures, organic and inorganic chemicals and specially graded silica or powered mineral fiber.

2) The CurePerfect **Liquid Colorant** is a pre-dispersed emulsion of latex polymers, mineral pigments, dispersants, mildewcides and cement curing compounds.

Coverage: Varies according to tile size and grout joint size

In Stock: All Colors

Liquid Item: CC- (color #-size)

Powder Item: CC-930-NS  
CC-930-S

### MIXING UNITS ARE MADE AS FOLLOWS:

35 lb. Sanded Unit = 35 lb. Powder & 1 Gallon Color

10 lb. Sanded Unit = 10 lb. Powder & 36 oz. Color

17.5 lb Non Sanded Unit = 17.5 lb. Powder & 1 Gallon Color

5 lb. Non Sanded Unit = 5 lb. Powder & 36 oz. Color



## CurePerfect® 930 Liquids

### COLORS

CC-002 Gray	CC-081 Citrine
CC-008 Black	CC-086 Ocean Blue
CC-014 Natural Gray	CC-099 Amber
CC-018 Antique White	CC-102 Topaz
CC-019 Cream	CC-103 Agate
CC-022 Walnut	CC-113 Pebble Beach
CC-024 Rust	CC-115 Silver Gray
CC-025 White	CC-127 Moonstone
CC-027 Sahara Brown	CC-131 Kahula Cream
CC-030 Sandstone	CC-140 Black Jade
CC-031 Buckskin Beige	CC-142 Pearl Gray
CC-035 Catalina Jade	CC-163 Almond
CC-036 Macadamia	CC-251 Canvas
CC-040 Adobe	CC-252 Tumbleweek
CC-042 Dusty Rose	CC-254 Flint Green
CC-047 Sunrise Pink	CC-255 Saltillo
CC-051 Sand	CC-256 Caramel
CC-053 Bone	CC-257 Hot Chocolate
CC-060 Pueblo	CC-258 Straw
CC-061 Executive Gray	CC-259 Winter Frost



## Supreme 925

Supreme Dry-Set Grout is a chemically intensified Portland cement based grout which possesses exceptional working qualities and permanent joint life. It is non-shrinking, nontoxic and odorless. Supreme inhibits fungus growth and contains an inhibitor to neutralize complex heavy metal salt stains common with some soft bisque ceramic tiles.

Coverage: Varies according to tile size and grout joint size  
 In Stock: White  
 Item: CC-LG DRY WALL



## ColorSet Epoxy System 931

ColorSet Epoxy is a patented 100% solids blend of epoxies and silica fillers. It is to be used for the setting and grouting of ceramic tile and pavers over a wide variety of substrates, interior and exterior. It produces a mortar that is stain resistant, impermeable and high in strength and shock resistant. ColorSet Epoxy has exceptionally high resistance to acids, alkalis and most solvents.

Coverage: Varies according to tile size and grout joint size  
 In Stock: Limited colors in stock, others available special order  
 Item: CC-(color #)-1/2 GAL Epoxy Part A  
 CC-EPOXY 100 PAO Epoxy 1/2 Gallon Part B  
 CC-EPOXY 100 PAR Epoxy 1 Gallon Part B



## PermaBond® Ultra 1002

PermaBond® Ultra is a superior strength adhesive composed of the highest quality organic resins and latexes. It has been formulated to perform equally well for both wall and floor tile installations.

In Stock: Gallon  
 3.5 Gallon  
 Coverage: 40 - 60 sf per gallon (3/16" x 1/4" v-notched trowel)  
 35 - 50 sf per gallon (1/4" x 1/4" square-notched trowel)  
 Item: CC-150G PERMABON  
 CC-150 PERMABOND



## C-Clean 985

C-Clean is a granular product that is mixed with clean water. C-Clean solution produces a safer and better alternative over muriatic acid for cleaning tile and grout surfaces. C-Clean does not produce toxic fumes, damage chrome or steel surfaces, bleach or burn grout joints, and does not cause hazardous or corrosive transport, handling or storage problems.

In Stock: 2 lb. and 8 lb. Item: CC-CLEAN



## CureCaulk 986

CureCaulk is a superior quality siliconized acrylic latex caulk that is mold and mildew resistant. The product forms a long-lasting, flexible, water tight seal that will resist cracking on most building materials, including glass, wood, ceramic, metal and stone. CureCaulk is available in all of C-Cure's grout colors.

In Stock: 10.3 oz. Cartridge  
 Item: CC-(color #)-CS Sanded Cure Caulk  
 CC-(color #)-CNS Non Sanded Cure Caulk




### Clinker Cutter Features:

- Protractor gauge with a quick locking lever to allow any cut from square to 60°
- Spring loaded front portion of the base for easier cutting
- Cushion grip handle with storage for a spare scoring wheel
- Dual chrome plated rail bars
- No. 22X 22 mm (7/8") diameter titanium coated solid carbide scoring wheel mounted on a ball bearing for easy scoring and longest wheel life
- An oversize breaker foot with a replaceable hard rubber pad to prevent tile marking that also pivots to automatically adjust for cutting tile up to 3/4" thick
- A steel protector (3" long) mounted over the front edge of the breaker rail to prevent premature wear caused by cutting pressure from the underside of the tile
- Two 12" side arm extensions to help support larger tiles and a magnetic holding feature against the base
- Scale with dual inch and metric graduations.

## No. JP-700ST Deluxe Big Clinker Cutter

This cutter has a four-position scoring height adjustment knob to allow scoring and cutting of tiles up to 3/4" thick. Sheet mounted mosaic tiles are easily cut by scoring all tiles, raising the wheel position and then individually breaking each tile. Cutter has 20 mm diameter dual chrome plated steel bars that are heat treated for longest life, a 4-3/4" wide breaker foot and a 12" wide protractor gauge. Makes 27-1/2" straight cuts 19-1/2" diagonal cuts. Cutter weighs 24 lbs.

In Stock: 27 1/2" Deluxe Big Clinker Cutter  
 Item: TGJP-700ST




## GIJ-F 11" Injecta Trowel (Handle ONLY)

### Professional Injecta Notch Trowel System - Handle Only

The Injecta Notch Trowel Handle with easily replaced trowel blades, is a system with a 'California Handle' style, on a cast aluminum mounting as shown. The wood handle is a top quality sanded hardwood, while the Ultigrip (-U) is a molded rubber cushion handle. This trowel has the RCA notch on a 10° angled leading edge, is 4-3/8" wide with blade installed and is unconditionally guaranteed. Blades are available separately.

In Stock: Trowel Handle (without blade)  
 Item: GIJ-F



## No. 9(notch)-U Professional Trowel

This trowel has a 4 1/2" wide x 11 1/2" long high carbon bright spring steel blade for maximum life.

In Stock:

- 1/4" x 1/4" x 1/4" Square-Notch (CTB)
- 3/8" x 1/4" x 1/4" Square-Notch (QT)
- 1/2" x 1/2" x 1/2" Square-Notch (BSN)
- 3/16" x 1/4" x 1/4" V-Notch (CWM)
- 5/16" x 1/4" x 1/4" U-Notch (U445)
- 3/8" x 1/4" x 1/4" U-Notch (U446)
- 1/2" x 1/4" x 1/4" U-Notch (U448)

Item:

- TG9CTB
- TG9QT
- TG9BSN
- TG9CWM
- TG9U445
- TG9U446
- TG9U448



## No. 9 PC-U Plastering Trowel

Used mainly to apply mortar beds for ceramic tile installations. The No. 9PC-U trowel blades are made from the highest grade of tempered, ground and polished spring steel. This trowel has a cast aluminum mounting and is available in the sanded hardwood and molded rubber cushion Ultigrip (-U) 'California Handle' style.

In Stock: No. 9PC-U

Item: TG9PC



## Pointing Trowel Margin Trowel

Marshalltown trowels are top quality professional tools. Each trowel is forged from a single piece of highest grade tool steel that is tempered, ground and polished from toe to heel. The hardwood handle has a steel ferrule for added handle strength.

In Stock: No. 45 - 7" x 3"

No. 52 - 5" x 2"

Item: TG45-7

TG52



## No. 103 Grouting Float

No. 103 has a firm, black molded sponge rubber pad with a closed face. It has a sanded hardwood handle and an aluminum backing plate. Pad measures 4" wide x 9 1/2" long x 5/8" thick.

In Stock: No. 103 Grout Float

Item: TG103





### **No. 43 Premium Float**

This popular float has a sanded hardwood handle and an aluminum backing plate. Pad measures 4" wide x 9 1/2" long x 3/4" thick.

In Stock: No. 43 Premium Float

Item: TG43



### **No. 44 Toe-Space Premium Float**

The offset handle and narrow pad permit easier horizontal and vertical grouting in toe space areas such as under kitchen cabinets and vanities. The long wearing 100% gum rubber face is bonded to a dense foam rubber pad. The extra thick aluminum backing resists bending. Handle is offset 3" from one end to allow easy and complete access to toe space areas. It can also be used for field grouting. Pad measures 3" wide x 13" long x 5/8" thick.

In Stock: No. 44 Toe-Space Premium Float

Item: TG44



### **Green Gum Float**

This float is made of 100% gum rubber for long wear on epoxy grout cleanup work. It can also be used with sanded grouts and the rubber edges can be sanded to maintain their original sharpness. It has a sanded hardwood handle and pad measures 4" wide x 10 1/2" long x 1/2" thick.

In Stock: Green Gum Float

Item: TGGK-1



### **Precision™ Float**

This Ultratight™ float features a nonmarring plastic handle to prevent scratching of tile surfaces. It is designed for comfortable use, and is also easy to clean since grout doesn't stick to the handles. This float has a 100% solid green gum rubber pad and is recommended for floor use with epoxy grouts. Pad measures 3 5/8" wide x 10" long x 3/4" thick.

In Stock: Precision™ Float

Item: TGUFF-1



## Jiffler Mixer No. 140

This scientifically designed and patented Jiffler Mixer is absolutely the finest for rapid and thorough mixing of ceramic tile thinset mortar mixes, epoxy adhesives, powder type floor underlayment, paint, drywall mud, industrial coatings, waterproofing materials, etc. The unique four-way counteraction gives fast and complete dispersion with no splash and no air lumps in the mix. Upper wheels pull down, lower wheel cuts up — the holes and slots screen out the lumps. All mixers have adjustable wheel positions to give best performance in a particular container and are made from corrosion resistant plated steel. The 3/8" diameter shaft of the No. 140 has three equally spaced flats on the end to prevent slipping in the drill chuck. The No. 140 has three 5" diameter wheels on a 3/8" x 24" shaft.

In Stock: Jiffler Mixer No. 140  
Item: TG140



## No. MM30 Mixer

For thinset mortar, grout and other powered materials, this 30" overall length mixer can be used without stooping. It has sturdy all steel welded construction and is completely plated for rust protection. The stiff, solid 7/16" hexagonal steel shaft won't bend from use in heavy mixes, nor slip in the drill chuck. Frame is 8 1/4" wide x 4 1/4" high, and blades are shaped to mix in an inside out pattern. This reduces air in the mix to a minimum. It weighs 2 lbs.

In Stock: No. MM30 Mixer  
Item: TGMM-30



## No. 336 Undercutting Saw

This saw undercuts doorjamb and other wall obstacles. It eliminates intricate fitting work. The specially shaped 12" long blade permits right or left hand cutting. The comfortable wood handle is sufficiently offset to provide knuckle protection. It comes supplied with a small knob for optional use (in place of the front wing nut) for two handed sawing. The replaceable blade is made from high carbon saw steel, and has 10 points per inch.

In Stock: No. 336 Undercutting Saw  
No. 335 Replacement Blade  
Item: TG336  
TG335



## No. 825 Heavy Duty Undercut Saw Kit

This saw undercuts walls, door jambs, doors, inside corners and most toe spaces. The 6-1/2" diameter No. 821 Carbide Tipped Steel Blade can fully undercut most doors in place and when used with the No. 805 Masonry Blade, can also be used for undercutting hearths. Height of cut is easily adjustable from flush to 1" above the floor with 3/32" graduations. The large height adjuster base helps prevent tipping and assures accurate, level cutting. Has a dual angle depth gauge which allows undercutting at a 'straight on' or 45° angle. Depth Gauge is graduated in 1/8" increments with a 1-5/8" maximum depth of cut. Each Saw Kit includes Nos. 805 Masonry Blade, 821 Carbide Tipped Steel Blade, saw, plastic carrying case, wrench for blade removal and instructions.

In Stock: Undercutting Saw Kit  
Carbide Tipped Steel Blade  
Masonry Blade

Item: TG825  
TG821  
G805



## No. 555 Multi-Undercut Saw

This saw undercuts walls doorjamb, under toe spaces and will also fully undercut inside corners up to 1/4" deep. The height of cut is easily adjustable from flush to one inch above the floor. The large flat base helps prevent tipping and assures accurate, level cutting. It has dual angle depth gauge that is an exclusive to the saw and allows undercutting at a 'straight on' or 45° angle. An adjustment scale provides precision depth control in 1/8" increments. Each saw comes with No. 556 36-tooth 5 5/8" diameter Carbide Tipped Steel Blade, custom molded carrying case, spanner wrench for blade removal and detailed operating instructions.

In Stock: No. 555 Multi-Undercut Saw  
No. 556 Carbide Tipped Steel Blade

Item: TG555  
TG556





## No. 812 Super Saw Kit

This completely redesigned super saw has the most features and power available of any undercutting saw. The 13 AMP motor and 6 1/2" diameter flush-cutting blade can fully undercut inside corners even in areas with as little as 12" clearance, like small closets. Doors as thick as 1 3/4" can be undercut without removal. Blade height is adjustable from a flush cut to a maximum of 1/4" off the floor. Super Saw Kit includes Nos. 805 masonry blade, 821 carbide tipped steel blade, saw, plastic carrying case and hex wrench.

In stock: Super Saw Kit  
Carbide Tipped Steel Blade  
Masonry Blade

Item: TG812  
TG821  
G805



## D24000 10" DeWalt Wet Tile Saw

The DeWalt wet tile saw features cantilevering Rail/Cart system allows for 24" ripping capacity - 18" tile on diagonal. It weighs only 69 lbs which allows one person to transport and set up saw. It has a stainless steel rail system which is integrated into the tile saw frame, insuring accurate cuts. It features integrated 45/22.5° miter feature for quick angled cuts. The plunge feature allows the user to make quick plunge cuts for electrical outlets and A/C registers. The dual water nozzles can be adjusted for optimal water placement on blade. Rear and side water attachments can be placed on tile saw to catch over spray from large tile. It has a removable cutting cart for easy cleaning of tile saw. A powerful 1.5 HP motor will cut hard materials such as porcelain and stone. The 5 gallon water pan allows for quick tile saw setup and breakdown.

In stock: DeWalt 10" Wet Tile Saw  
Tile Saw Stand  
10" Porcelain Tile Blade  
10" Premium Blade

Item: DEWALT D24000  
DEWALT D24001  
DW4762  
DEWALT-DW4769





## No. 1620C Mechanical Marking Pencil

Ideal for marking ceramic tile. Wax based red and black lead easily wipes off. Supplied with one red lead. Red and black refills are also available.

In Stock: Mechanical Marking Pencil  
 Black Refill Leads, 6 per card  
 Red Refill Leads, 6 per card

Item: G1620C (pencil)  
 G162C-B (black refill)  
 G162C-R (red refill)

## No. 356 Ceramic Tile Hole Saw

Carbide grit edge cuts 1 3/8" diameter holes in ceramic wall tile for water pipes. Spring automatically ejects slug. Has a 3/8" diameter shank that holds a 1/4" diameter carbide tipped pilot drill bit.

In Stock: Ceramic Tile Hole Saw  
 Item: TG356



## Core Bits

Professional wet cor bit for granite. 1-3/8 x 5/8-11. General purpose standard dry core bit. 1-3/8 x 3/8.

In Stock: Professional Wet Core Bit For Granite  
 General Purpose Standard Dry Core Bit

Item: PAHB138GRT  
 PAHB138L2



## No. GS50 Grout Saw

Used for removing ceramic wall tile grout, this saw features a replaceable 2" long blade that is tipped with tungsten carbide grit for fast cutting and long life. Comfortable plastic handle has a hang-up hole. For wider joints, tow blades can be mounted on either side of the handle. Tool is 7" long overall and weighs 4 ozs.

In Stock: Grout Saw  
 Replacement Blade

Item: TGGS50  
 TGGS50-RB

## No. 20 Aluminum Straight Edge Set

### *used as mortar screeds*



For ceramic tile installation work, the angle type construction of this tool makes it strong and rigid. Unlike wood, it cannot warp or rot, and will maintain its original straightness. This clear anodized aluminum is extremely lightweight and cannot rust. Easy to handle, individual straight edges nest for compact storage. When stored, the entire set is held together by a screw and wing nut. Set consists of five lengths as follows: 6', 4' 10", 4', 3', and 2'. Weighs 13 lbs.

In Stock: Aluminum Straight Edge Set

Item: TG20

## No. 30 Aluminum Straight Edge Set

### *used as mortar screeds*



For ceramic tile installation work, this set has a heavy duty rectangular construction to make it our straightest and strongest aluminum straight edge set. Both ends of each individual straight edge are plugged with a plastic insert to prevent mortar from weighing down the tool. Clear anodized aluminum construction means this set cannot rust, rot or warp like steel, or wood. Specially designed two-piece carrier is spring loaded and adjustable to provide proper tension so straight edges don't slide during transport. U-shaped design of the carrier bottom means straight edges are easily loaded into the carrier after use. Set consists of five lengths as follows: 6', 4' 10", 4', 3', and 2'. Weighs 17 lbs.

In Stock: Aluminum Straight Edge Set

Item: TG30

## No. 75-T 75" Long Steel T Square



Specially made for sheet goods flooring work, Gundlach craftsmanship is applied to make these tools straight and parallel. Prove this to yourself by putting two of them together. They are 2-1/2" wide x 1/8" thick and just heavy enough to hug the floor nicely. The hard steel resists knife blade wear, and it is heat treated to prevent the loss of accuracy from dropping or other abuse. Finished in a pleasing eye strain saving green. Nail holes are provided on one end, and the opposite end of the straight edge is cut on an accurate 45° angle for miter work. Dimensions listed are actual overall lengths. T-Square usable length is 2-1/2" less than overall length. T-Square heads are 14-1/2" long and are plug welded for strength.

In Stock: 75" Long Steel T-Square

Item: G75-T

## No. 45-500 Carpenter Square



This tool is widely used as a straight edge and squaring tool. It has square ends and accurate 45° ends for mitering work. One leg is 24" x 2", and the other is 16" x 1-1/2". Both legs have 1/8 inch graduations on the face and back. Has a natural steel lacquered finish, and the numbers and graduations are permanently impressed. Kneeling on one leg of the square helps prevent movement during cutting.

In stock: Carpenter Square  
Item: G45-500

## No. 209 Super-Soft Knee Pads



These lightweight knee pads are constructed of 100% washable neoprene and have a super soft contoured foam rubber pad insert for greater comfort. The front of this knee pad and strap is coated with polyurethane for increased durability and water resistance and will not mark or scratch floors. Quick and easy on/off using the single 3" wide front fastening Velcro® strap. This nonbonding strap keeps you knees free from chafing allowing these knee pads to be worn with shorts.

In stock: Super-Soft Knee Pads  
Item: TG209



## No. KN-1 Ultralight Knee Pads

Comfortable and lightweight, each pad weighs less than 10 oz. Accordion fold gives maximum comfort and flexibility in both standing and kneeling positions. Tough outer shell has a nonskid surface. Has a soft inner pad insert for comfort. Keyhole slotted black rubber straps allow quick on and off.

In Stock: Ultralight Knee Pads  
Item: GKN-1

## Caulking Guns for Spouted Cartridges



Contractor grade guns feature rugged steel construction for rough handling and hard use. Slotted front cap design makes loading fast and easy. End cap prevents cartridge shifting. Both have nonslip two-dog ratcheted drive ram rod. Barrels are ribbed for extra strength. The trigger and fitted grip provides a smooth bead.

In Stock: Caulking Gun for 1/10 gallon cartridges  
Caulking Gun for 1 quart cartridges  
Item: TG101  
TG105



## No. 2618 Black Beauty Duster Brush

A top quality model for absolute best results. Has a 100% black horsehair fill. Trim depth is 2 1/2". This 8" model has a 13" beavertail style lightweight wood block.

In Stock: Duster Brush  
Item: TG2618



## No. 80 Superior Tile Cutter® Nippers

These nippers are 8" long, have carbide tipped jaws, handle stops, plastic handle grips and convenient coil spring reopening action. This model has offset 'side biter' 5/8" straight jaws.

In Stock: Ceramic Tile Nippers  
Item: TG80



## Malco Aluminum Handle Tin Snips

Lightweight snips with replaceable blades

These popular snips have sturdy heat treated aluminum alloy frames and precision ground tool steel blades. Exclusive blade design gives more leverage and the natural contour hand grips prevent blisters. Blade tips extend slightly beyond the frame and can penetrate openings in lath to cut small circles for pipe fitting work.

In Stock: Tin Snips  
Item: TGM-12



## Tile Sealers

In Stock: **SealEase**

SealEase grout sealer additive provides one easy step to super charge your cement grout. Mix with sanded cement grouts in place of water per manufacturer's use directions in indoor and outdoor applications.

Size: 70 oz. Unit  
Item: DBC-SEAL EASE



In Stock: **Penetrating Sealer**

Stain-resistant, below-surface sealer. Retains natural look with no surface shine. Excellent for interior and exterior use.

Size: Gallon  
Item: AQG-PENETRATING SEALER



In Stock: **Sealer's Choice 15 Gold**  
 Premium, water-based, matte finish, natural-look penetrating sealer. Provides maximum stain protection, especially in food preparation and serving areas. Excellent on porous tile and natural stone. Lasts up to 15 years.

Size: Gallon  
 Item: AQQ-SEALERS CHOICE 15



In Stock: **Seal & Finish Low Sheen**  
 One-step, water-based, stain resistant surface sealer with a durable low-sheen finish. Allows moisture vapor transmission and is not affected by ultraviolet light. Interior and exterior use.

Size: Gallon  
 Item: AQQ SEAL/FINISH



In Stock: **Saltillo Seal & Finish**  
 One-step, water-based, stain resistant surface sealer with a durable high gloss finish. Recommended for use on high porosity surfaces such as saltillo, terracotta, and adobe clay.

Size: Gallon  
 Item: AQQ SALTILLO



In Stock: **Grout Sealer**  
 Durable, stain-resistant, natural-look sealer for porous cementitious grout.

Size: Pint  
 Gallon  
 Item: AQP GROUT SEALER  
 AGG GROUT SEALER



In Stock: **No. GS02 Grout Sealer**  
 Solvent based, inverted aerosol spray can grout sealer.

Size: 15 oz. can  
 Item: TGGS02



In Stock: **Omega Sealer**  
 Water resistant acrylic sealer for use over brick pavers. Available in gloss or semigloss. Tough and durable.

Size: 1 Gallon & 5 Gallon  
 Item: OM113-1GAL. (Gloss)  
 OM113-5GAL. (Gloss)  
 OM213-1GAL. (Semigloss)  
 OM213-5 GAL. (Semigloss)



## Stone Care

In Stock: **Aqua Shield**  
Ready-to-use cleaner & resealer. Non-acidic, non-abrasive formula won't damage stone, grout or tile. Contains sealer to reseal as it cleans. For use over penetrating sealer.

Size: 24 oz. Spray Bottle

Item: AQ24 SHIELD

In Stock: **Pro-Solv**

An economical, no-sheen, natural look, solvent-based penetrating sealer formulated to resist stains on porous stone and tile. May also be used as a pre-grouting sealer. Allows moisture vapor transmission. It is also a good grout sealer.

Size: 1 Gallon, Quart & Pint

Item: AQG PRO-SOLV, AQQ PRO-SOLV, AQP PRO-SOLV



## Tile Cleaners

In Stock: **Concentrated Tile Cleaner**

Super-concentrated, neutral cleaner. Non-acidic, safe for everyday use. Pleasant spearmint scent.

Size: Gallon

Item: AQG MIRACLE CLEA



In Stock: **Heavy Duty Tile & Grout Cleaner**

Concentrated, high-alkaline cleaner and degreaser. Fast, effective waxy and floor finish remover. Non-acidic, will not damage tile or grout.

Size: Quart

Gallon

Item: AQG SPEED STRIP



## Tile Problem Solvers

In Stock: **Grout Haze Clean-Up**

Safe, effective concentrated cleaner added to grout clean-up water to remove grout haze and latex additive to tile.

Size: Pint

Item: AQPGROUT HAZE



In Stock: **Grout Release**

Temporary, pre-grout coating for porous, textured, thin brick and masonry. Protects surface from grout or mortar staining.

Size: Gallon

Item: AQG GROUT RELEASE





In Stock: **Sealer & Adhesive Remover**  
New, safer, non-methylene chloride formula effectively removes old sealers, adhesives and finishes. Removes epoxy grout haze and is an excellent stain remover.

Size: Gallon  
Item: AQG-BOND STRIPPER



**Floor Finishes**

In Stock: **Floor Shine & Hardener**  
Durable, self-polishing, high-sheen non-yellowing, wax-type floor finish. Will withstand high-speed burnishing. Use on interior unglazed, sealed ceramic tile and resilient and wood floors.


Size: Quart  
Gallon  
Item: AQQ SHINE AND HA  
AQG SHINE AND HA



**Backer Board**

In Stock: **HARDIBACKER**  
Ceramic tile backerboard for floors and countertops. Protect your substrate and maintain tile adhesion.


Size: ¼"  
7/16"  
Item: HB 3 X 5 X ¼  
HB 3 X 5 X 7/16



**Marble Threshold**

In Stock: **Single Bevel Threshold**  
Size: 36" x 2" x 3/8"  
36" x 2" x 3/4"  
Item: TH 3/4 x 36 x 2 SB  
TH 3/8 x 36 x 2





## Shower Pan Liner

**In Stock:**      **Chloraloy® Shower Pan Liner**  
 Chloraloy 240 is manufactured from Chlorinated Polyethylene (CPE), a non-plasticized elastomer. Applications: Shower pans, Roman tub liners, steam rooms, toilet rooms, hydrotherapy rooms, reflecting pools, fountains and planters.

**Size:**            4'  
                          5'  
                          6'

**Item:**            NO 4FT  
                          NO 5FT  
                          NO 6FT




## Goof Proof Shower Installation Products

Goof Proof Shower Installation is a collection of 8 shower installation products to simplify the art of shower and tile installation by focusing on some of the industries more difficult and time consuming tasks. Tools that will save the installer the valuable time required to complete such tasks, without the problems that can occur with traditional methods. Shower installations and installing a shower particularly installing a shower pan is now easy, less time consuming, less expensive and GOOF PROOF. These products will assist the professional contractor who is looking to create a tile shower installation of any size or shape with consistently perfect results every time! A shower pan can be water proofed with many different water proofing membranes on the market today. These products: Pre-Pitch, Kirb-Perfect and Quick-Pitch will work with all liners currently on the market today including roll on liners, sheet membranes, vinyl and Chloraloy®. With these tools you will gain the ability and confidence to construct any shower installation regardless of drain location, size, shape and style. Items and descriptions below.

**In Stock:**      MEI-STD-201 Pre-Pitch  
                          MEI-EXT-202 Pre-Pitch Extender  
                          MEI-QPK-101 Quick Pitch  
                          MEI-EFS-103 Quick Pitch Extender  
                          MEI-XFS-101.2 Extra Float Sticks  
                          MEI-KP-543 Kirb Perfect  
                          MEI-PWP-106 Positive Weep Hole Protector  
                          MEI-QPUCR-108 Center Ring  
                          MEI-SSK-401 Shower Kit\*

\*Shower kit includes: (1) Pre-Pitch, (1) Quick Pitch, (2) Kirb Perfect and (1) Positive Weep Hole Protector.



## Featheredge™ FastSet 979

Featheredge™ in a non sanded Portland cement compound for the skim coating, leveling and patching of floors prior to the installation of resilient flooring, carpet, ceramic tile, slate, granite or marble. It features the performance characteristics of patching material that can produce a fine featheredge finish. Polymer modified, Featheredge™ FastSet is a one part system that only requires the addition of water to produce a dense, water resistant surface. The creamy consistency and wetter surface properties provide excellent workability, and when properly mixed, it will featheredge to a non-checking, non-cracking, durable surface 0-1/2" thick

Coverage: 25-27 square feet per 25 lb. bag

In Stock: 25 lb. Bags

Item: CC-FEATHER



## UniLayment FastSet 969

UniLayment FastSet is a fast-curing, latex modified, mildew-resistant, Portland cement based leveling and patching compound for floors prior to the installation for resilient flooring, carpet, ceramic tile, slate, granite or marble. For general applications, UniLayment FastSet requires only water to develop a dense, water resistant surface. When UniLayment FastSet is properly mixed (with water) it will featheredge to a non-checking, non-cracking, durable surface 0-1/2" thick.

Coverage: 25-27 square feet per 25 lb. bag

In Stock: 25 lb. Bags – Non Sanded

Item: CC-UNILAYMENT



## Latex Underlayment Regular 962

Latex Underlayment is a self-curing, liquid latex/Portland cement-based floor leveling system for leveling most types of floors prior to installation of resilient floor coverings, carpet and ceramic tile. Latex Underlayment represents a major improvement in cementitious leveling material. Latex Underlayment Regular 962 is designed for pours from featheredge to 3/8" thickness. 2 Part mixer with additive; 1 gallon: 1 40 lb. bag

Coverage: 40 square feet per 25 lbs.

In Stock: 40 lb. Bags

5 Gallon Additive

Item: CC-UNDERLAYMENT 1

CC-UNDERLAYMENT 5 GALLON



## MP100 Basic Grade Carpet & Felt-Back Vinyl Adhesive

MP100 is a water-based multipurpose adhesive for the installation of felt-back sheet vinyl and most carpet in residential or light commercial installations. Its wet grab is great for carpets but allows alignment of sheet vinyl floors without tearing the back.

Coverage: Felt-Backed Sheet Vinyl 170-190 sf/gallon 1/16"x1/16"x1/16" square  
ActionBac® 90-110 sf/gallon 1/8"x1/8"x1/8" V-notch

In Stock: 4 Gallon

Item: C-MP100-4



## MP240 Mid-Grade Carpet & Felt-Back Vinyl Adhesive

MP240 is a water-based multipurpose adhesive for the installation of felt-backed sheet vinyl and most carpet in residential or medium commercial installations. Its wet grab is great for carpets but allows alignment of sheet vinyl floors without tearing the back.

Coverage: Felt-Backed Sheet Vinyl 170-190 sf/gallon 1/16"x1/16"x1/16" square  
ActionBac® 90-110 sf/gallon 1/8"x1/8"x1/8" V-notch

In Stock: 4 Gallon

Item: C-MP240-4



## CA430 Outdoor Carpet Adhesive

CA430 is a solvent based outdoor carpet adhesive designed for the exterior installation of ActionBac®, unitary back, needle punch and marine backed carpets. This product resists all types of weather conditions and is waterproof once dry. This product is not recommended for urethane or vinyl backed products.

Coverage:

In Stock: 4 Gallon

Item: C-CA430-4



## AC44 Carpet Seam Sealer

AC44 Carpet Seam Sealer is a low VOC carpet seam sealer developed to seam most types of carpets and to prevent edge raveling. It may also be used to repair bubbles in installations. Coverage: up to 660 lf per quart

In Stock: Quart


Item: C-AC44-Q



## 029: Flammable Pad Cement

029 Solvent Based, Flammable Carpet Pad Cement is specially formulated to quickly and to permanently bond most residential and commercial carpet padding. It is fast setting and waterproof and allows for stretching of carpet cushion wrinkling and slippage. Open time: 10 minutes. For use with the following types of pad: Rebond Urethane, Prime Urethane, Frothed Urethane, Sponge Rubber, Foam Rubber, Hair & Jute and Synthetic Hair & Jute.

In Stock:       Gallon                               Item:               C-29



## Armada® AM-40 Acrylic Urethane Wood Flooring Adhesive

Armada® AM-40 was developed with the installer in mind. It was designed specifically for gluing down most engineered plank, strip and pre-finished parquet floors including foam backed parquet. Armada® AM-40 is approved for gluing down felt back moisture barrier (slip sheets). Coverage: 40 sf/gal.

In Stock:       4 Gallon                               Item:               AM-40



## ST100

ST100 is a latex based adhesive specially formulated for vinyl plank and tile.

Coverage:       165 sf per gallon

In Stock:       1 Gallon & 4 Gallon

Item:            ST100 1GA                               Item: ST100 4GAL



## TA 380: Thin Spread VCT Adhesive

TA 380 Thin Spread Vinyl Composition Tile Adhesive is the installer's choice for VCT installations. TA 380 sets firm reducing tile slippage. Features include: five year performance warranty, clear adhesive so chalk lines remain visible, no unsightly residue between tile, and 24 hour working time. Open Time: 30-60 minutes. Working time: 24 hours. Solids: 51%. VOC's: 0. Use to install: Vinyl Composition Tile(3/32" and 1/8"). Coverage: 160-170 sf/gal.

In Stock:       Gallon and 4 Gallon                       Item:               C-380



## VA500 Commercial VCT Adhesive

VA500 is a powerful clear thin spread adhesive that dries fast and sets up harder to resist the movement of vinyl composition tile early in the installation. This adhesive may be used in tile over tile installations as well as over aged residual cutback adhesive.

Coverage:       VCT over VCT 250-300 sf/gallon 1/16"x1/32"x1/32" u-notch

VCT with porous substrate 170-180 sf/gallon 1/16"x1/16"x1/16" square

In Stock:       4 Gallon                               Item:               C-VA500-4



## C5 Acrylic Latex Cove Base Adhesive

C5 Acrylic Latex Cove Base Adhesive's acrylic formulation provides a strong, firm setting bond for years of trouble-free performance. Features include: strong early grab for corner wrapping, white formulation means easier cleanup, strong impact resistant bond, and resists shrinkage. Open Time: 0 minutes. Working time: 45 minutes. Solids 65%. VOC's: 0. Use to Install: vinyl or rubber cove base, cork wall tile and wall carpet.

Coverage: 120 lf per tube and 240 lf per gallon  
In Stock: 30 oz cartridge and 4 gallon  
Item: C-C54



## TackBond Construction Adhesive

TackBond Construction Adhesive is a very fast drying gun grade construction adhesive available in 30-ounce tubes. TackBond's fast drying performance makes it the ideal product for the installation of tackstrip on concrete surfaces. No longer will you have to predrill endless holes for concrete nails. Simply run out a 1/4" bead of TackBond on the floor, place the strip into the adhesive, pull strip back out to flash the adhesive for a minimum of 5 minutes, reinsert tackstrip and let dry for 4-6 hours. TackBond's rapid bond development will then allow full-power stretching without coming loose from the floor. It's the perfect choice for tackstrip installation and many other construction-related applications including the installation of reducer strips and thresholds, stair treads, metal moldings and trim, ceramic tile fixtures and repairs.

Coverage: 80-120 lineal feet of tackstrip (depending on width of the strip)  
In Stock: 30.5 oz. Tubes  
Item: C-TB30



## K-20 Premium 4" Seam Tape

The industry's best selling 4" seaming tape. Strengthened with a knitted reinforced fiberglass scrim. Use for light to medium residential carpet installations.

In Stock: 66 lf rolls  
Item: OK-20S



## K-40 Supreme 4" Seam Tape

This 4" seam tape is designed specifically for carpets with ActionBac®. Premium adhesive and tough knitted scrim. Use for medium commercial and heavy residential carpet installations.


In Stock: 66 lf rolls  
Item: OK-40S



### **No. 100-LR 100 lb. Roller – 5 ¼" diameter**

All steel, trouble free construction guarantees a lifetime of maintenance free service. Steel will not crack or chip as cast iron can. Nothing can go wrong with solid steel roller sections-no bushing of any sort to come loose. Added to this is the famous Gundlach craftsmanship which is applied throughout to all details of construction. Used on: Linoleum, vinyl sheet goods, rubber tile, vinyl tile, cork tile, wood block tile, roofing systems and waterproofing membranes.

In Stock: 100 lb. roller  
Item: G100-LR



### **No. 143 Adhesive Syringe**

Solves air bubble problems quickly. For glue down carpet trouble spots and vinyl sheet goods. Hollow point tapered needle is 13 gauge x 2" long and delivers adhesive with an invisible puncture. Adhesive capacity is 2 oz. Economically priced.

In Stock: Adhesive Syringe  
Item: G143



### **No. 4-3 Carpet Awl 4-1/2" Blade Length**

An ideal tool for scribing, picking seams and other carpet work. It has a plastic handle and tapered blade.

In Stock: Carpet Awl  
Item: G4-3



### **No. 166 Duckbill Napping Shears**

These shears feature offset handles which makes level nap trimming easy. Shears are made from hot forged cutlery steel with a special duckbill blade for precise cuts. Nickel plated and polished, the handles also have a red vinyl coating for comfort. The No. 166 Shears has 1" knuckle room finger loops for thumb and forefinger control. The overall length is 6" and the length of cut is 1 5/8".


In Stock: Duckbill Napping Shears  
Item: G166



## No. 177 Carpet Shears

Entirely made in the U.S.A., these shears are hot hammer forged of high integrity cutlery steel, hardened and tempered for durability and long life. Shears are plated for superior protection against rust and corrosion. Unconditional lifetime warranty against defective materials or workmanship. Light gauge shears for napping cuts. Overall length is 7 1/2" and length of cut is 2-1/8".

In Stock: Carpet Shears  
Item: G177



## No. 75-RS 75" Long Rigid Steel Straight Edge

This tool is specially made for sheet goods flooring work and is straight and parallel. Prove this to your self by putting two of them together. They are 2 1/2" wide x 1/8" thick and just heavy enough to hug the floor nicely. The hard steel resists knife blade wear and is heat treated to prevent the loss of accuracy from dropping or other abuse. It is finished in a pleasing eye strain saving green. Nail holes are provided on one end and the opposite end of the straight edge is cut on an accurate 45 degree angle for miter work. Dimensions listed are actual overall lengths.

In Stock: 75" Long Rigid Steel Straight Edge  
Item: G75-RS



## No. 350-2W White Rubber Mallet

Widely used by carpet layers and ceramic tile setters. This top quality brand provides longer service than lower cost, lesser quality models. Has sturdy contoured hardwood handle. Face diameter: 2 1/4". Head length: 3 3/4". Handle length: 11 1/8". Head weight: 20 ozs.

In Stock: White Rubber Mallet  
Item: G350-2W



## No. 445 Carpet Kicker

The 16 pins can be dialed to 9 settings to adjust for pile heights and desired penetration. The pins can be completely retracted to permit use of the three nap grip inserts on lightweight or low pile carpets. The length of the kicker is adjustable in five positive lock settings from 17-3/4" to 21-3/4". The seamless square foam filled bumper pad can be switched to four positions for even wear distribution. A snap-on plastic pin cover is supplied to protect the pins when not in use. Black powder coat finish. Instructions and an illustrated parts list is included. Weighs about 5 lbs.

In Stock: Carpet Kicker  
Item: G445




## No. 476 Carpet Tractor

This amazing tool can obscure carpet seams—even badly cut seams—with much less time and effort than any other method. The top performance of this Carpet Tractor results from its unique, patented three row offset roller action. The 1-1/4" diameter rollers are set in staggered 3" wide rows to provide a twirling action that blends the nap to effectively hide seams. For use with all types of seaming and bonding methods, Carpet Tractors are ideal for hot melt seaming work. They ensure a thorough bond of the adhesive with the carpet backing, resulting in a flat seam. Use of this tool causes seams to cool rapidly, eliminating discoloration problems caused by directly following a seam with a tool box tray. The benefits of the three row offset roller action makes this tool superior to single row rollers. Carpet Tractors cause hot yarns, which have suffered “memory loss” to simply blend together for attractive flat hidden seams. Unlike single row type rollers, the shape of this Carpet Tractor conforms comfortably to the hand for less fatigue. The flat top shape even allows for standing use to apply extra pressure. Another unique feature is the all metal construction which provides long life and also allows this tool to be heated with a torch, and then run over scrap carpet to clean. The body of the Carpet Tractor has a powder coat finish and all other parts are entirely zinc plated for rust prevention to allow use on wet cleaning jobs where seam shrinkage has occurred. The original Carpet Tractor, can be used on all types of carpet, including hard to seam materials like tight weave short nap commercial carpet. Has star wheel rollers. Tool measures 3" wide x 6-1/2" long x 2-1/2" high. Weighs 2 lbs.

In Stock: Carpet Tractor

Item: G476



## No. 261 & 262 Straight Stair Tools

Used for tucking carpet into the tackless strip/wall gully and to drive carpet into a stair crotch. Both are forged from tough chisel type alloy steel, and are bright nickel plated to resist rust and corrosion. Blades are ground to the correct smooth slim taper, and oversize heads resist hammer damage. Both are 8" long. Two blade widths are available.

In Stock: Straight Stair Tools

Item: G261  
G262





## No. 400-CS Junior Power Carpet Stretcher

Features a 14 ½" wide metal pin plate that holds 59 rust resistant nickel plated pins for heavy duty work. Pin depth is adjusted by a knob conveniently located on top of the head. One head handles all weights of carpet. The lightweight cast aluminum head is angled at the rear of both sides to allow side kicking. The 14 ¼" wide tail block has a nonmarring rubber pad and glides in any direction on two each 1" ball type casters. Supplied with a sturdy steel carrying case that has storage capacity for six tubing sections in the lid. Minimum operating length is 34 ½", and opens to 22' with four tubing sections. More tubing can be added for longer stretches. Supplied complete with an adjustable 14" Transfer Tube, Head Assembly, Tail Block Assembly, Case and four each No. 402-TS Tubing sections with exclusive one-piece spring clips, guaranteed for life against breakage. Weighs 61 lbs.

In Stock: Carpet Stretcher

Item: G400-CS



## No. 57-ML Moulding Lifter

This tool gives positive leverage control to avoid denting the baseboard, It is also specially designed to lift the moulding at approximately the same angle that the nails were driven. The smoothly ground slim ends enter easily under the mouldings, and both are notched for nail and brad pulling. The top grade tool steel is hardened and tempered for maximum toughness. Finished with a rust proof bright nickel plating. Weighs ½ lb. and is 10 ½" long.

In Stock: Moulding Lifter

Item: G57-ML



## No. H-76 12" Tile Cutter With Casters


Cuts clean edges on all types of resilient floor tile—even solid vinyl tile, a material too tough for other cutters. Also cuts asphalt (without preheating), vinyl composition, rubber, cork, linoleum, felt-backed vinyl, marble translucent vinyl, and marble chip epoxy tiles. Expertly designed to give the trade the fastest, most convenient and the most durable cutter available.

In Stock: Tile Cutter

Item: GH-76-1



**No. 4PC-U**



## No. 4(notch)-U Professional Trowel

This trowel has a 4½" wide x 10½" long blade made from a good grade of tempered carbon steel.

In Stock:      1/16" x 1/16" x 1/16" Square-notch      (FCA)  
                      3/32" x 3/32" x 3/32" V-Notch              (RCA)  
                      ¼" x 5/16" x 3/16" V-Notch                (BHF)  
                      1/8" x 1/8" x 1/8" Square-notch            (PRB)  
                      3/16" x 3/16" x 3/16" Square-notch        (MLN)

Item:            G4FCA-PRO VINYL VCT  
                      G4RCA-PRO CARPET  
                      G4BHF-PRO WOOD PLANK  
                      G4PRB-U  
                      G4MLN-U



## No. 716 Conventional Back Carpet Trimmer

Cuts in either direction and has a three position adjustable throat feature for carpets of varying pile height. Cutting height adjustments are made by using any of seven 1/16" thick shims. It is not necessary to remove shims to adjust throat depth. The metal handle is vinyl coated for comfort and has five working positions, including a horizontal position for working under toe spaces. Trimmer is supplied with five Universal Trimmer Blades and a plastic strip for mounting on the stainless steel angled wall runner to prevent wall marking. Other steel parts of trimmer are plated for rust prevention.

In Stock:      Carpet Trimmer  
 Item:            G716



## No. 301 Cushion Back Cutter

Designed for tight weave gauges of rubber back carpet. Slender beveled guide makes it easy to stay in the rows. Has a blade slot on both sides for cutting either side of the row, and the 30° blade angle prevents tearing. Stainless steel construction. Slotted razor blades 'snap in' and 'snap out', and five blades are included.

In Stock:      Cushion Back Cutter  
 Item:            G301-CBC



## Razor Blade Knife

Has a folded D-Ring fastener that is tensioned to stand up for easiest blade changing. When not in use, the D-Ring fastener holds flat against the knife body. Die cast aluminum handle has storage space for extra blades.

In Stock:      Razor Blade Knife  
 Item:            G-535



## No. 534 Utility Knife

Has a folding D-Ring fastener that is tensioned to stand up for easiest blade changing. When not in use, the D-Ring fastener holds flat against the knife body. Uses utility or hook blades (not included).

In Stock: Utility Knife

Item: G534



## No. 54040 Hyde Carpet Knife 3-1/8" Blade

Hyde carpet knives have long been famous for quality. These models are made to cut all types of carpeting. The flexible hawkbill blades are made of the finest high carbon steel. They are individually hardened, tempered and honed for long lasting cutting edges.

In Stock: Carpet Knife

Item: G54040

## Blades

In stock:



### Item

### Description

A610017

Slotted Blades Round Corners 100 Pack

A610023

Slotted Blades Square Corners 100 Pack

GG-642-C

Trimmer Blades 100 Pack

G695-10

4" Scraper Blades 10 Pack

G695-C

4" Scraper Blades 100 Pack

GG-92-CDP

Utility Blades (3 notch) 100 Pack

G376-9

8" Scraper Blades 9 Pack



## No. 790 4" Replaceable Blade Scrapers

This heavy-duty scraper is widely used for a variety of floor, wall and countertop work. It is especially useful for removing sponge carpet backing. The angled blade holding heads, plus the razor sharp blades provide "clean shaving" cutting action. Each scraper has a comfortable vinyl hand grip and three case hardened screws to resist slot wear and give maximum blade holding power. The No. 790 is the 18" long scraper for tougher jobs. Supplied with one blade, installed backwards for safety.

In Stock: 4" Replaceable Blade Scrapers

Item: G790



## No. 375 8" Replaceable Blade Scrapers

Scrape faster and with less work because you can always have a razor sharp blade. Length on both models is adjustable for maximum comfort – kneeling or standing. Adjustment is quick and easy. Not recommended for heavy duty prying floor removal work. Supplied with one blade, installed backwards for safety. No. 375 – long big scraper, adjustable from 39" – 59".


In Stock: Replaceable Blade Scrapers  
Item: G375



## No. 812 Super Saw Kit

This completely redesigned super saw has the most features and power available of any undercutting saw. The 13 AMP motor and 6 1/2" diameter flush-cutting blade can fully undercut inside corners even in areas with as little as 12" clearance, like small closets. Doors as thick as 1 3/4" can be undercut without removal. Blade height is adjustable from a flush cut to a maximum of 1/4" off the floor. Super Saw Kit includes Nos. 805 masonry blade, 821 carbide tipped steel blade, saw, plastic carrying case and hex wrench.

In stock: Super Saw Kit  
Carbide Tipped Steel Blade  
Masonry Blade  
Item: G820  
TG821  
TG805



## Seam Iron

Seam Iron Features:

- Deep center groove welds carpet edges together
- Non stick Teflon® base minimizes smoke and odor
- Three-way cord guide keeps cord out of the way
- Two year factory warranty
- Lowest profile design in the industry for superior maneuverability
- Kool Top® heat shield prevents delamination and distortion caused by heat.
- Exclusive full length fin uniformly guides iron under the carpet

In Stock: Kool Top® Standard Seaming Iron  
Item: OKT-FG110






## Sanding Discs

In Stock:

<u>Item</u>	<u>Description</u>
FC16T-15	15" Coarse 4 Grit Sanding Disc
FC16T-16	16" Coarse 4 Grit Sanding Disc



## Concrete Nails

These tough and hardened nails resist bending. They are used extensively by carpet installers where the condition of the aggregate permits. They have a countersunk head style. The 5/8" size is 10 gauge and has a 17/64" head diameter. The 11/16" size, which is ordinarily used in pre-nailed tackless strip, is 12 gauge and has 7/32" head diameter.

In Stock:



<u>Item</u>	<u>Description</u>
H-11/16 ONE	1 lb. bag 12 Gauge 11/16" Concrete Nails
H-11/16 FIVE	5 lb. bag 12 Gauge 11/16" Concrete Nails
H-5/8 ONE	1 lb. bag 10 Gauge 5/8" Concrete Nails
H-5/8 FIVE	5 lb. bag 10 Gauge 5/8" Concrete Nails



## No. 151 Magnetic Driving Bar

These magnetic driving bars are excellent tools for nailing tackless strip in hard to reach places, such as under radiators, wall heaters and toe spaces. Also, they are especially valuable for damage free work in areas adjacent to brick hearths, stone masonry, plate glass windows or doors or baseboard mouldings. Both have a magnetized tip to allow nails to be driven with ease and are forged from tough alloy steel. Each has a black finish and can be used on all subfloors, including concrete. Both are made in the U.S.A. and have a lifetime guarantee against breakage.

In Stock: Magnetic Driving Bar

Item: G151



## No. 615 Magnetic Nail Holder

An ideal tool for starting and driving nails into concrete without the danger of hurting your fingers. Also protects the flange on metal floor molding from damage. The magnetic tip automatically points the nail in the right direction. Made from 5/8" hexagonal stainless steel stock.

In Stock: Magnetic Nail Holder

Item: G615



## Tack Strip

In Stock:

Item

HG-120

HG-140

Description

Wood Tack Strip 400 lf/box

Concrete Tack Strip 400 lf/box

## Tape

In Stock:

Item

NNP320B

Description

Brown Pad Tape 2" x 60 Yards



## Duo-Fast™ Electric Tacker

Heavy-duty installer choice. Precision made, professional model.

In Stock: Electric Stapler

Staples

Item: DFENC5418

DF5418C Duo-Fast™ 9/16" Staples

## No. GB-1 Chalk Line Reel

This chalk line reel features a slotted, self-sealing rubber grommet for easy filling. Simply insert the nozzle of an 8 oz. bottle and squeeze for quick and clean filling. Non-breakable plastic case is lightweight. Spun polyester line is 100' long and has a hook ring. The line has the tough strength of nylon and the chalk holding capacity of cotton. This model has a positive line locking mechanism. The No. GB-1 has self-lubricating nylon gears that allow rewinding 3 to 4 times faster than regular reels. Simple finger pressure applied to the handle permits free-wheeling for the line going out without the handle turning.

In Stock: Chalk Line Reel

Item: GGB-1 100 FT



## Ultra-Fine Chalk Powder

A specially formulated blend of talcum powder and limestone is milled to a finer consistency for more positive and distinct marking. Available in an 8 oz squeeze bottle with an easy fill spout. Cap color indicates chalk color. *Caution: blue and red chalk contains a dye that may stain some carpets.*

In Stock: 8 oz. Red Chalk  
8 oz. White Chalk  
8 oz. Blue Chalk

Item: G8-R  
G8-W  
G8-B





## No. 407 Tool Pouch

Top grain cowhide leather tool and knife pouch with flap. 1 pocket box shaped. Size: 4" wide x 7-1/2" high.

In Stock: Tool Pouch

Item: G407-FL



## No. 811 Staple Hammer & A11-C Staples

This tool is well balanced and was designed for carpet pad stapling. It has a comfortable vinyl hand grip and is sturdily constructed from tough alloy steel. It has a 150 staple capacity and is easily loaded at the rear. Plated for rust prevention. Weighs 2 lbs. Staples Sold Separately

In Stock: Staple Hammer

Staples

Item: G811

GA11-C (staples)

## Metal Trims

In Stock:



### Item

AJ-12 HAMMERED  
 AJ-12 HAMMERED G  
 AJ-30 HAMMERED  
 AJ-30 HAMMERED G  
 AJ-14 HAMMERED  
 AJ-14 HAMMERED G  
 CM-1680 GOLD  
 CM-1680 SILVER  
 RF154H  
 RF154HG  
 SA-BLANKBARHTX  
 SA-BLANKBARSBH  
 SA3704HTX  
 SA3704SBH  
 SA3706 SILVER  
 SA3706 GOLD  
 SA3751  
 SA3752  
 SA399 SILVER  
 SA399 SATIN

### Description

1 1/2" Flat Silver  
 1 1/2" Flat Gold  
 1" Flat Silver  
 1" Flat Gold  
 Pinless Silver – for glue down  
 Pinless Gold – for glue down  
 Z Metal 12' – Carpet to Ceramic  
 Z Metal 12' – Carpet to Ceramic  
 Economy Silver with teeth 1/2" lip  
 Economy Gold with teeth 1/2" lip  
 Silver E-Trim  
 Gold E-Trim  
 Silver with teeth 3/4" lip  
 Gold with teeth 3/4" lip  
 Flexible with teeth  
 Flexible with teeth  
 Track metal for vinyl insert with teeth  
 Track metal for vinyl insert pinless  
 Silver stair nosing  
 Gold stair nosing

## Underlayments

### Solid Walk




SolidWalk™ fiber pad underlayment has a polyethylene film moisture barrier, lip (overlap) and tape. This product features an overlapping moisture barrier and tape for ease of installation. Sound Transmission Loss. The sound-insulating property of a partition element is expressed in terms of the sound transmission loss. ASTM E90-97, ASTM E413-87 Sound Transmission Class (STC) = 54. Impact Sound Transmission. The method is designed to measure the impact sound transmission performance of a floor-ceiling assembly in a controlled laboratory environment. ASTM E492-90, ASTM E989-89 Impact Insulation Class (IIC) = 58.

In Stock: Solid Walk 100 sf & 360 sf

Item: AM-SOLIDWALK 100 and AM-SOLIDWALK 360

### Armada® Silent Treatment



Silent Treatment® is XLPE TPO foam with a 2 mil moisture barrier and attached lip and tape for easy installation. To have the most quiet laminate floor available today, choose Silent Treatment® Underlayment. Silent Treatment® is a premium sound suppressant underlayment that will make your laminate floor installation so quiet that you'll swear you're walking on solid hardwood. Silent Treatment® not only reduces noise but is non-allergenic, mold and mildew resistant and is manufactured from recycled materials making it earth friendly. Silent Treatment® also comes with lip and tape on the edges. All seams can be sealed to provide the ultimate moisture protection for your flooring installation. Sound Transmission Loss. The sound-insulating property of a partition element is expressed in terms of the sound transmission loss. ASTM E90-02, ASTM E413-87 Sound Transmission Class (STC) = 72. Impact Sound Transmission. The method is designed to measure the impact sound transmission performance of a floor-ceiling assembly in a controlled laboratory environment. ASTM E492-90, ASTM E989-89 Impact Insulation Class (IIC) = 72.

In Stock: Silent Treatment®

Item: AM-SILENT TREAT





## Great White

Foam Underlayment with a dual moisture barrier and lip and tape. 40 Rolls per box.

In Stock: Great White 100 sf rolls  
Item: PL-GREAT WHITE




## 2N1

White LDPE foam underlayment with a clear 1mil PE film with lip and tape. The roll dimensions are .08" X 40" X 30' (100 SF) 80 rolls per box.

In Stock: 2N1 100 SF Rolls  
Item: AM-2N1 100SF

# Bolick Distributors Service Information




## BOLICK TRADING AREA

The Bolick trading area, as defined on the adjacent map, is representative of the actual geographic territory that currently has Bolick sales representation and receives scheduled delivery service from the Bolick truck fleet and associated service providers.

## BOLICK DELIVERY SERVICE

Bolick owns and operates a fleet of trucks that provide delivery service to more than 2500 retail dealers.



## BOLICK WEBSITE

Bolick offers one of the most customer friendly websites in the flooring industry. Dealers can access the site at [www.bolick-distributors.com](http://www.bolick-distributors.com) where they will find all of the latest product and program information with links to all major vendor websites for technical and product warranty information.

## BOLICK SALES TEAM

The Bolick sales team is organized into two separate divisions. A retail sales force covers the dealer accounts in the retail division and a contract sales force covers the A&D community and commercial flooring contractors in the contract division.

## *Bolick Distributors Company History*

*Bolick Distributors was founded in 1959 by Gene and Ruth Anne Bolick. In the early years, Bolick Distributors sold only wall tile but soon expanded from the back of Gene Bolick's station wagon to an 8,000 square foot warehouse located in Baton Rouge, Louisiana. During the 1960's, Gene added additional products to compliment the original wall tile offering. Among the additions, were ceramic tile, carpet, cushion and supplies. The business flourished and over time more product lines and locations were added to support growth, including the continued expansion of warehouse space in Baton Rouge.*

*Now, after more than 50 years in business, Bolick Distributors has grown into one of the largest multilocation wholesale floor covering distributors in the Gulf South. From 3 company owned facilities and 2 service partner facilities, representing in excess of 150,000 square feet of warehouse space, Bolick Distributors offers convenient will call service and operates a fleet of delivery trucks that reaches more than 2500 customers. Our business philosophy of today remains consistent with the simple operating principle that Bolick Distributors was built on - to offer our customers high quality products at competitive prices with reliable customer service.*

*In 1998, Interior Building Supply, Corp. purchased the company from Gene Bolick. The new ownership group has maintained the name Bolick Distributors as an on going tribute to the founders of the business and to our many loyal customers who identify with the level of trust and integrity that the Bolick name represents. We give you our pledge to build on more than 50 years of experience by continuing to invest in better business systems, improve our customer service performance, and to nurture the employee culture that makes doing business with Bolick Distributors something special.*



## **Bolick Distributors**

2055 N. Airway Dr.

Baton Rouge, LA 70815

Phone: 225-927-8016

Toll Free: 800-960-1209

Fax: 225-927-0120

Website: [www.bolick-distributors.com](http://www.bolick-distributors.com)

E-mail: [info@bolick-distributors.com](mailto:info@bolick-distributors.com)

Order: [order@bolick-distributors.com](mailto:order@bolick-distributors.com)



*Wholesale Distributors of Quality  
Residential & Commercial Floor Coverings  
Since 1959*

## **Branch & Service Locations**

5736 Blessey St.  
Harahan, LA 70123  
Phone: 504-734-8175  
Fax: 504-734-7120

4241 Space Center Dr.  
Jackson, MS 39209  
Phone: 601-813-0074  
Fax: 601-961-1141

500 Flournoy Lucas Rd.  
Shreveport, LA 71118  
Phone: 318-470-5759  
(Service Partner)

9450 Maumelle Blvd.  
North Little Rock, AR 72113  
Phone: 501-753-7003  
(Service Partner)

4629 Damascus Rd.  
Memphis, TN 38118  
Phone: 901-362-5152  
(Service Partner)